



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/977,484	10/15/2001	Ralf Janke	MICRONAS.6437	1533

7590 09/25/2006
Patrick J. O'Shea
O'Shea, Getz and Kosakowski, P.C.
1500 Main Street, Suite 912
Springfield, MD 01115

EXAMINER

WACHSMAN, HAL D

ART UNIT PAPER NUMBER

2857

DATE MAILED: 09/25/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

7/21

Response to Rule 312 Communication	Application No.	Applicant(s)	
	09/977,484	JANKE, RALF	
	Examiner	Art Unit	
	Hal D. Wachsman	2857	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

1. ☒ The amendment filed on 05 September 2006 under 37 CFR 1.312 has been considered, and has been:

a) ☐ entered.

b) ☐ entered as directed to matters of form not affecting the scope of the invention.


c) ☐ disapproved because the amendment was filed after the payment of the issue fee.

Any amendment filed after the date the issue fee is paid must be accompanied by a petition under 37 CFR 1.313(c)(1) and the required fee to withdraw the application from issue.

d) ☒ disapproved. See explanation below.

e) ☐ entered in part. See explanation below.

The amendment and drawings filed 9-5-06 are improper under 37 C.F.R. 1.121 for the following reasons. The 1.312 amendment contains specification amendments for pages 5, 10 and 15. However, there are no pages numbered as 5, 10 and 15 in the clean copy of the substitute specification filed 7-5-05 because the first page of that substitute specification is numbered as page 20. Also, in the 1.312 amendment there is no section, such as for example, "In the drawings" which refers to the submittal of the replacement drawings for Figures 1 and 2, and these replacement drawing sheets were not identified in the top margin as "Replacement Sheet".


Hal D Wachsman
Primary Examiner
Art Unit: 2857